



BLUETTI

ENERGY
INDEPENDENCE
STARTS HERE



Proudly serving you for over 50 years.

POM: 313 9800 / 7232 1300
E-mail: sales@theodist.com.pg

LAE: 472 5488 / 7054 4494
E-mail: saleslae@theodist.com.pg

MT.HAGEN: 7590 5096 / 7528 7200
E-mail: sales.hagen@theodist.com.pg



Terms and conditions apply.



www.theodist.com





BLUETTI

CONTENTS

SOLAR CHARGING CABLES

CABLE3	pg 02
CABLE2	pg 03

SOLAR PANEL CHARGERS

SPV120	pg 03
SMP200	pg 03

POWER BANKS

B80P	pg 03
B300	pg 03

POWER STATIONS

EB3A	pg 03
EB70	pg 03
AC60P	pg 03
AC300KIT	pg 03
AC200MAX	pg 03

SPECIAL BUNDLE KITS

EB70SLR	pg 03
EB3ASLR	pg 03
AC200MAXSLR	pg 03
AC300KITSLR	pg 03

**POWER
SOLUTIONS**
EVERYDAY LOW PRICE



Proudly serving you for over 50 years.

POM: 313 9800 / 7232 1300 | LAE: 472 5488 / 7054 4494 | MT.HAGEN: 7590 5096 / 7528 7200
E-mail: sales@theodist.com.pg | E-mail: saleslae@theodist.com.pg | E-mail: sales.hagen@theodist.com.pg



/theodist

Terms and conditions apply.



www.theodist.com

THEODIST LTD
BUSINESS SUPERSTORE



BLUETTI

B80/EB3A


SOLAR CHARGING
CABLE



PRODUCT DESCRIPTION

To charge your B80 or EB3A, use solar panels connected to the Bluetti B80/EB3A Solar Charging Cable.

This allows you to use off-grid power and lessen your carbon impact while still having access to electric energy.



CODE: CABLE3




BLUETTI

10M MC4 SOLAR EXTENSION CABLE



FEATURES

- ✓ Length: 10m
- ✓ Colour: Black, Red



CODE: CABLE2



BLUETTI

PV120 SOLAR PANELS 120W




HIGHER EFFICIENCY

Monocrystalline solar cells

Cell efficiency
23.4%


Output power
120W Max.

OCV
24.4V




FEATURES

- ✓ Monocrystalline Solar Cells With Up to 23.4% Efficiency
- ✓ Foldable & Portable
- ✓ Compatible With Most Solar Generators with MC4 Connectors
- ✓ Dimensions: 1652x533mm



sunpower monocrystal cell



Scratch-proof



Higher light
transmittance



Durable

CODE: SPV120



BLUETTI

MP200 SOLAR PANELS 200W


Quick and Easy Setup




Portability
Made Convenient




Straightforward
Angle Adjustment



Flawless Interlocking Technology for High-Grade Solar Cells



Pioneering the Industry with Remarkable Conversion Efficiency



FEATURES

- ✓ **24% Conversion Efficiency:**
Highly Efficient Solar Intake
- ✓ **IP67 Waterproof:**
Innovative Lamination Technology
- ✓ **Adjustable Kickstand:**
Make the Most of Sunlight
- ✓ **Easy to Carry:** Foldable & Portable Design
- ✓ **High Compatibility:**
A Wide Array of Power Stations

Nine-layer Stacking & Integrated Molding Laminate Tech

ETFE

Enhanced EVA

Enhanced EVA

Fabric


Monocrystalline Cell

Enhanced EVA

Enhanced Base Plate

EVA

Fabric



CODE: SMP200



BLUETTI

B80P

EXPANSION SOLAR BATTERY 806WH



Warning AIRLINE RESTRICTIONS APPLY.

806Wh Capacity powerstation



200W Max.
Solar Charging

AC60
Charging



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY



X-BOOST
OUTPUT

FEATURES

- ✓ Expansion Battery for BLUETTI AC60
- ✓ An 806Wh Standalone Power Station
- ✓ 3 DC Outlets: a 100W USB-C, a 18W USB-A, and a 12V/10A Cigarette Lighter Port
- ✓ Expand AC180/EB3A/EB55/EB70/AC70 in Power Bank Mode
- ✓ (Extra cables are required and sold separately.)
- ✓ Four Ways to Recharge: AC60 charging, solar, car (cigarette lighter), and adapter

12V/24V
Car Charging

200W
AC Adapter Charging

CODE: B80P



BLUETTI

B300

EXPANSION SOLAR BATTERY 3072WH



Warning AIRLINE RESTRICTIONS APPLY.

BLUETTI

BLUETTI B300 BATTERY MODULES



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY



X-BOOST
OUTPUT

FEATURES

- ✓ You can use the B300 as a portable power station
- ✓ Features with a 100W USB-C, a 12V/10A car output and USB-A ports
- ✓ The smart MPPT inside of the B300 enables it to recharge quickly through solar power at a 200W maximum loading scale.
- ✓ You can also recharge it with a wall socket, car charging or lead-acid battery
- ✓ Car charging and lead-acid battery charging need to be realized through D050S



Solar Charging



AC Charging



Car



Lead-acid Battery

*Car charging and lead-acid battery charging need to be realized through D050S.



CODE: B300



BLUETTI

EB3A

PORTABLE EXPANDABLE POWER STATION



Warning AIRLINE RESTRICTIONS APPLY.

600W / 268Wh Capacity



WITH
LCD DISPLAY



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY



X-BOOST
OUTPUT

FEATURES

- ✓ 600W AC Pure Sine Wave Inverter (1,200W surge)
- ✓ 268Wh Capacity
- ✓ 430W Max. Fast Dual Charging (Solar+AC)
- ✓ LiFePO4 Battery with 2,500+ Life Cycles to 80%
- ✓ 6 Ways to Recharge (AC/Solar/Car/Generator /AC+Solar/AC+Adapter)
- ✓ 8 Outputs for Charging Multiple Devices at once
- ✓ Smart Control & Monitor in BLUETTI App
- ✓ 200W Max. Solar Input
- ✓ Easy to Carry/ Fast Charging/ Safe & Reliable/ Cost-effective
- ✓ Dimensions: 10.04x7.09x7.20in

Whats in the Box



Common Features



LIGHT

5w

30 Hours



LAPTOP

100w

3.5 Times



PHONE

10w

25 Times



FRIDGE


60w

3.6 Hours

Charging Time


1. From AC Charging

EB3A supports Standard(268W) /Turbo/Silent charging modes.




2. PV Charging

Connect the solar panels (in series or parallel) to EB3A via the solar charging cable.




3. Car Charging

Connect the solar panels (in series or parallel) to EB3A via the solar charging cable.



3. Generator Charging

Connect the EB3A with the generator via the AC charging cable.



CODE: EB3A



BLUETTI EB70

ECO-FRIENDLY
PORTABLE POWER STATION



Warning AIRLINE RESTRICTIONS APPLY.

1,400W / 716Wh Capacity



WITH
LCD DISPLAY



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY



X-BOOST
OUTPUT

FEATURES

- ✓ 1000W AC Pure Sine Wave Inverter (1,400W Surge)
- ✓ 716Wh Capacity
- ✓ LiFePO4 Battery with 2,500+ Life Cycles to 80%
- ✓ 10 Outputs For Multiple Devices
- ✓ 4 Ways to Recharge (AC/Solar/Car/Generator)
- ✓ 200W Max. Solar Input
- ✓ Eco-friendly/Gas free/Quiet/Cost-effective
- ✓ Dimensions: 320x216x221mm

Whats in the Box



Common Features



LIGHT

20w
20-30 Hours



PHONE 10w
50-60 Times



LAPTOP 60w
11 Times




FRIDGE 90w
6-7 Hours

Charging Time


1. From AC Charging

Simply plug the EB70 into a standard wall outlet and start charging




2. PV Charging

Connect the solar panels (in series or parallel) to EB70 via the solar charging cable




3. Car Charging

Connect the EB70 directly to the vehicle plug-in cigarette lighter port via the car charging cable



3. Generator Charging

Connect the AC adapter input plug to the generator while the output plug goes to the charging port of EB70



CODE: EB70



BLUETTI

AC60P

PORTABLE EXPANDABLE POWER STATION



Warning AIRLINE RESTRICTIONS APPLY.

403Wh, 600W



WITH
LCD DISPLAY



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY



X-BOOST
OUTPUT

FEATURES

- ✓ IP65-rated Dustproof & Water-resistant
- ✓ AC60 : Expandable Capacity From 403Wh to 2,015Wh
- ✓ Turbo Charging to 100% in 1 Hour
- ✓ LiFePO4 Battery with 3,000+ Life Cycles to 80%
- ✓ 4 Ways to Recharge (AC/Solar/Car/Lead-acid battery)
- ✓ Easy & Remote Control via BLUETTI App

Whats in the Box



Common Features



LIGHT

5w

30 Hours



LAPTOP

200w

8.6 Hours



PHONE

10w

42 Times



FRIDGE

60w

6.7 Hours

Charging Time

1. From AC Charging

AC60 supports Turbo/Standard/Silent charging modes.

Simply plug the AC60 into the standard wall outlet and start charging.




2. Solar Charging

Connect the solar panels (in series or parallel) to AC60 via the solar charging cable.


Note: Please make sure your solar panels comply with:

Voc: 12V-28V Input Current: 8A Max. Input Power: 200W Max.




3. Car Charging

Connect the AC60 to the vehicle's 12V/24V cigarette lighter port via the car charging cable.



3. Generator Charging

Connect the AC60 to generator via the AC charging cable.



CODE: AC60P



BLUETTI AC200MAX

PORTABLE EXPANDABLE POWER STATION



Warning AIRLINE RESTRICTIONS APPLY.

4,800W / 2,048Wh Capacity



WITH
LCD DISPLAY



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY




X-BOOST
OUTPUT

FEATURES

- ✓ 2,200W AC Pure Sine Wave Inverter (4,800W Surge)
- ✓ 2,048Wh Capacity
- ✓ LiFePO₄ Battery with 3,500+ Life Cycles to 80%
- ✓ Expandable Up To 6,144Wh with 2×B230, or 8,192Wh with 2×B300
- ✓ 7 Ways to Recharge (AC/Solar/Car/Generator/Lead Battery/ Dual AC/AC+Solar)
- ✓ 900W Max. Solar Input
- ✓ 1400W Max. Fast Dual Charging (Solar + AC Adapter)
- ✓ Smart Control & Monitor in BLUETTI App

Whats in the Box



All-round Upgraded Expandable Power Station

BLUETTI first expandable power station-AC200MAX with 2,048Wh LiFePO₄ cells and 2,200W pure sine wave inverter.

Your mobile power center at home or on the way.

Common Features



LIGHT

10w

150+ Hours



PHONE

10w

175-200 Times



LAPTOP

5w

30 Hours



FRIDGE

150w

10 Hours

Charging Time

1. From AC Wall Outlet
Charging will take 4-5 hours



3. Car Charging

Charging will stop at 100% with 8.2A maximum current.



5. Lead-acid Battery Charging

Connect to positive & negative using Charging Clamp.



2. From the Solar Panels
via solar charging cable
Max input current 15.2A ± 0.3




4. Generator Charging

(Gasoline, propane or diesel)
Charging will stop at 100%.



6. Dual Charging

Connect to positive & negative using Charging Clamp.



(AC200MAX Dual Charging System)

CODE: AC200MAX



BLUETTI

AC300 + B300

PORTABLE POWER STATIONS
HOME BATTERY BACKUP



Warning AIRLINE RESTRICTIONS APPLY.

3000W, 3072Wh



WITH
LCD DISPLAY



X-STREAM
FAST CHARGE



EXPANDABLE
CAPACITY




X-BOOST
OUTPUT

FEATURES

- ✓ 3,000W AC Pure Sine Wave Inverter (6,000W Surge)
- ✓ 3,072Wh Capacity (Expandable w/ up to 4 × B300 for 12,288Wh)
- ✓ 7 Ways to Recharge (AC/Solar/Car/Generator/Lead battery/Dual AC/AC+Solar)
- ✓ 2400W Max. Solar Input
- ✓ 5400W Max. Fast Dual Charging (Solar + AC Adapter Simultaneously)
- ✓ Smart App Control & Monitor
- ✓ 24/7 UPS Home Backup
- ✓ Dimensions: 520x320x358mm

Whats in the Box



Common Features



LIGHT

40w
60+ Hours



LAPTOP
60w
40 Charges



PHONE
15w
170+ Charges




FRIDGE
700w
3.7 Hours

Charging Time


1. From AC Charging

Connect the AC300+B300 to a wall outlet via the AC charging cable. The charging automatically stops when the AC300 system reaches 100% capacity. The maximum charging power allowed is up to 3000W.




2. Generator Charging (Gasoline/Propane/Diesel)

Connect the AC300+B300 to a generator via the generator charging cable. The charging automatically stops when the AC300 system reaches 100% capacity.



3. Solar Charging (via 4pin aviation-MC4 cable)

How to connect AC300 to a regular solar panel:
AC300+B300 supports dual PV input, DC1+DC2. Please make sure your solar panels at each input comply with: Voc: 12V-150VDC
Current: 12A Max.



CODE: AC300KIT



BLUETTI

AC300 + B300


PORTABLE POWER STATIONS
HOME BATTERY BACKUP

3000, 3072Wh

Charging Time

How to connect AC300 to rooftop solar panels:


Note: Roof/Rigid panel can charge AC300. If the panel's open circuit voltage falls in 150V-550VDC, use D300S to lower the voltage.



4. Car Charging

Connect the AC300+B300 to the vehicle plug-in cigarette lighter port via the DC input cable and car charging cable.


Note: Set Others as DC1/DC2 input source to enable car charging.



5. Charging via a 12V/24V Lead-acid battery


Connect the AC300+B300 to the lead-acid battery via the DC input cable and lead-acid battery charging cable. Clamp the positive connector(red) to the positive battery terminal and negative(black) to the other.

Note: Set Others as DC1/DC2 input source to enable lead-acid battery charging.



6. Dual Charging

AC300+B300 also support dual charging via AC input and DC1/DC2 input ports simultaneously.





BLUETTI

EB3ASLR

BUNDLE INCLUDES

- ✓ **EB3A POWER STATION WITH BATTERY**
- ✓ **SPV120 SOLAR PANEL**
- ✓ **CABLE3 SOLAR CHARGING CABLE**



Warning AIRLINE RESTRICTIONS APPLY.



FEATURES

- ✓ 600W AC Pure Sine Wave Inverter (1,200W surge)
- ✓ 268Wh Capacity
- ✓ 430W Max. Fast Dual Charging (Solar+AC)
- ✓ LiFePO4 Battery with 2,500+ Life Cycles to 80%
- ✓ 6 Ways to Recharge (AC/Solar/Car/Generator /AC+Solar/AC+Adapter)
- ✓ 8 Outputs for Charging Multiple Devices at once
- ✓ Smart Control & Monitor in BLUETTI App
- ✓ 200W Max. Solar Input
- ✓ Easy to Carry/ Fast Charging/ Safe & Reliable/ Cost-effective
- ✓ Dimensions: 10.04x7.09x7.20in
- ✓ Monocrystalline Solar Cells With Up to 23.4% Efficiency
- ✓ Foldable & Portable
- ✓ Compatible With Most Solar Generators with MC4 Connectors
- ✓ Dimensions: 1652x533mm

CABLE3

To charge your B80 or EB3A, use solar panels connected to the Bluetti B80/EB3A Solar Charging Cable.

This allows you to use off-grid power and lessen your carbon impact while still having access to electric energy.

Whats in the Box



Common Features



LIGHT

5w

30 Hours



LAPTOP

100w

3.5 Times



PHONE

10w

25 Times



FRIDGE


60w

3.6 Hours

Charging Time


1. From AC Charging

EB3A supports Standard(268W) /Turbo/Silent charging modes.




2. PV Charging

Connect the solar panels (in series or parallel) to EB3A via the solar charging cable.




3. Car Charging

Connect the solar panels (in series or parallel) to EB3A via the solar charging cable.



3. Generator Charging

Connect the EB3A with the generator via the AC charging cable.



CODE: EB3ASLR



BLUETTI

EB70SLR

BUNDLE INCLUDES

- ✓ EB3A POWER STATION WITH BATTERY
- ✓ SMP200 SOLAR PANEL



Warning AIRLINE RESTRICTIONS APPLY.



FEATURES

- ✓ 1000W AC Pure Sine Wave Inverter (1,400W Surge)
- ✓ 716Wh Capacity
- ✓ LiFePO4 Battery with 2,500+ Life Cycles to 80%
- ✓ 10 Outputs For Multiple Devices
- ✓ 4 Ways to Recharge (AC/Solar/Car/Generator)
- ✓ 200W Max. Solar Input
- ✓ Eco-friendly/Gas free/Quiet/Cost-effective
- ✓ Dimensions: 320x216x221mm
- ✓ 24% Conversion Efficiency: Highly Efficient Solar Intake
- ✓ IP67 Waterproof: Innovative Lamination Technology
- ✓ Adjustable Kickstand: Make the Most of Sunlight
- ✓ Easy to Carry: Foldable & Portable Design
- ✓ High Compatibility: A Wide Array of Power Stations

Whats in the Box



Common Features



LIGHT

20w
20-30 Hours



PHONE

10w
50-60 Times



LAPTOP

60w
11 Times




FRIDGE

90w
6-7 Hours

Charging Time


1. From AC Charging

Simply plug the EB70 into a standard wall outlet and start charging




2. PV Charging

Connect the solar panels (in series or parallel) to EB70 via the solar charging cable




3. Car Charging

Connect the EB70 directly to the vehicle plug-in cigarette lighter port via the car charging cable



3. Generator Charging

Connect the AC adapter input plug to the generator while the output plug goes to the charging port of EB70



CODE: EB70SLR



BLUETTI

AC200MAXSLR

BUNDLE INCLUDES

- ✓ AC200MAX POWER STATION WITH BATTERY
- ✓ 2 X SPV120 SOLAR PANEL



Warning AIRLINE RESTRICTIONS APPLY.



FEATURES

- ✓ 2,200W AC Pure Sine Wave Inverter (4,800W Surge)
- ✓ 2,048Wh Capacity
- ✓ LiFePO₄ Battery with 3,500+ Life Cycles to 80%
- ✓ Expandable Up To 6,144Wh with 2×B230, or 8,192Wh with 2×B300
- ✓ 7 Ways to Recharge (AC/Solar/Car/Generator/Lead Battery/Dual AC/AC+Solar)
- ✓ 900W Max. Solar Input
- ✓ 1400W Max. Fast Dual Charging (Solar + AC Adapter)
- ✓ Smart Control & Monitor in BLUETTI App
- ✓ Monocrystalline Solar Cells With Up to 23.4% Efficiency
- ✓ Foldable & Portable
- ✓ Compatible With Most Solar Generators with MC4 Connectors
- ✓ Dimensions: 1652x533mm

Whats in the Box



AC200MAX Power Station



AC Adapter & Cable




PV Charging Cable (MC4-XT90)



Car Charging Cable (XT90 - Cigarette Lighter Port)



XT90 TO Aviation Plug (Input)



SPV120 12V 100W 23.4% 1.2m

All-round Upgraded Expandable Power Station

BLUETTI first expandable power station-AC200MAX with 2,048Wh LiFePO₄ cells and 2,200W pure sine wave inverter.

Your mobile power center at home or on the way.

Common Features



LIGHT

10w

150+ Hours



PHONE

10w

175-200 Times



LAPTOP

5w

30 Hours



FRIDGE

150w


10 Hours

Charging Time

1. From AC Wall Outlet
Charging will take 4-5 hours



3. Car Charging
Charging will stop at 100% with 8.2A maximum current.



5. Lead-acid Battery Charging
Connect to positive & negative using Charging Clamp.




2. From the Solar Panels
via solar charging cable
Max input current 15.2A ± 0.3



4. Generator Charging
(Gasoline, propane or diesel)
Charging will stop at 100%.



6. Dual Charging
Connect to positive & negative using Charging Clamp.



(AC200MAX Dual Charging System)

CODE: AC200MAXSLR



BLUETTI

AC300KITSLR

BUNDLE INCLUDES

- ✓ AC300 POWER STATION
- ✓ B300 BATTERY
- ✓ 2 X SMP200 SOLAR PANEL



Warning AIRLINE RESTRICTIONS APPLY.



FEATURES

- ✓ 3,000W AC Pure Sine Wave Inverter (6,000W Surge)
- ✓ 3,072Wh Capacity (Expandable w/ up to 4 x B300 for 12,288Wh)
- ✓ 7 Ways to Recharge (AC/Solar/Car/Generator/Lead battery/Dual AC/AC+Solar)
- ✓ 2400W Max. Solar Input
- ✓ 5400W Max. Fast Dual Charging (Solar + AC Adapter Simultaneously)
- ✓ Smart App Control & Monitor
- ✓ 24/7 UPS Home Backup
- ✓ Dimensions: 520x320x358mm
- ✓ You can use the B300 as a portable power station
- ✓ Features with a 100W USB-C, a 12V/10A car output and USB-A ports
- ✓ The smart MPPT inside of the B300 enables it to recharge quickly through solar power at a 200W maximum loading scale.
- ✓ You can also recharge it with a wall socket, car charging or lead-acid battery
- ✓ Car charging and lead-acid battery charging need to be realized through D050S
- ✓ 24% Conversion Efficiency: Highly Efficient Solar Intake
- ✓ IP67 Waterproof: Innovative Lamination Technology
- ✓ Adjustable Kickstand: Make the Most of Sunlight
- ✓ Easy to Carry: Foldable & Portable Design
- ✓ High Compatibility: A Wide Array of Power Stations

CODE: AC300KITSLR

Common Features



LIGHT

40w
60+ Hours



LAPTOP 60w
40 Charges



PHONE

15w
170+ Charges




FRIDGE 700w
3.7 Hours

Charging Time


1. From AC Charging

Connect the AC300+B300 to a wall outlet via the AC charging cable. The charging automatically stops when the AC300 system reaches 100% capacity. The maximum charging power allowed is up to 3000W.




2. Generator Charging (Gasoline/Propane/Diesel)

Connect the AC300+B300 to a generator via the generator charging cable. The charging automatically stops when the AC300 system reaches 100% capacity.



3. Solar Charging (via 4pin aviation-MC4 cable)

How to connect AC300 to a regular solar panel:
AC300+B300 supports dual PV input, DC1+DC2. Please make sure your solar panels at each input comply with: Voc: 12V-150VDC
Current: 12A Max.



Continue See Reverse Page

Whats in the Box



AC300 Power Station



10A AC Charging Cable



Multifunctional DC Charging Cable



Car Charging Cable (Cigarette lighter-M to MC4)



BLUETTI B300 Expansion Battery



Battery Expansion Cable (D050S)



Solar Charging Cable (MC4 to XT90)



BLUETTI

AC300KITSLR

BUNDLE INCLUDES


- ✓ AC300 POWER STATION
- ✓ B300 BATTERY
- ✓ 2 X SMP200 SOLAR PANEL

Charging Time

Flawless Interlocking Technology
for High-Grade Solar Cells




Pioneering the Industry with
Remarkable Conversion Efficiency



How to connect AC300 to rooftop solar panels:


Note: Roof/Rigid panel can charge AC300. If the panel's open circuit voltage falls in 150V-550VDC, use D300S to lower the voltage.



4. Car Charging

Connect the AC300+B300 to the vehicle plug-in cigarette lighter port via the DC input cable and car charging cable.


Note: Set Others as DC1/DC2 input source to enable car charging.



5. Charging via a 12V/24V Lead-acid battery

Connect the AC300+B300 to the lead-acid battery via the DC input cable and lead-acid battery charging cable. Clamp the positive connector(red) to the positive battery terminal and negative(black) to the other.

Note: Set Others as DC1/DC2 input source to enable lead-acid battery charging.



Quick and Easy Setup



Portability
Made Convenient




Straightforward
Angle Adjustment



6. Dual Charging

AC300+B300 also support dual charging via AC input and DC1/DC2 input ports simultaneously.





PORT MORESBY

Waigani Drive, Gordons
P.O Box 1618, Boroko, NCD
Phone No: 313 9800 | 7232 1300
Fax: 325 0302
Email: sales@theodist.com.pg

LAE

Markham Road, Downtown
PO Box 2507, Lae, Morobe Province
Phone No: 472 5488 | 7054 4494
Fax: 472 7838
Email: saleslae@theodist.com.pg

MT. HAGEN

Section 942, NBS Estate
Okuk Highway, Dobel, Mt. Hagen, WHP
Phone No: 7590 5096 | 7377 4422
Email: saleshagen@theodist.com.pg

www.theodist.com



theodist



theodist.ltd



theodist-ltd



Theodist PNG

