HP LaserJet Managed MFP E82560 Series



Premium quality, maximum uptime, and the strongest security¹ from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹



HP LaserJet Managed MFP E82560du Plus



HP LaserJet Managed MFP E82560dn Plus



HP LaserJet Managed Flow MFP E82560z Plus

High quality, low cost.

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 60 ppm.³

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need⁵

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <u>hp.com/go/PrintersThatProtect</u>. For more information: <u>hp.com/go/printersecurityclaims</u>² Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <u>hpconnected.com</u>³ Neasured using ISO/IEC 24734, excludes first set of test documents. For more information, see <u>hpcon/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <u>hp.com/go/printsecurity</u> Papplicable for MFP E82560z only.

Product walkaround

- 1 250-sheet automatic document feeder supports media up to 290 x 432 mm (11 x 17 inches) (A3)
- 2 Flatbed scanner handles sheets up to 297 x 432 mm (11.7 x 17 inches)
- 3 20.3 cm (8.0 inch) colour touchscreen control panel tilts up for easier viewing
- 4 Pull-out keyboard (Flow MFP E82560z only)
- 5 Right door (access to the print path)
- 6 100-sheet multipurpose tray 1 supports media up to 290 x 432 mm (11 x 17 inches) (A3)
- 7 Front door access to toner cartridges
- 8 Hardware Integration Pocket (for connecting accessory and third-party devices)¹
- 9 Easy-access USB port2
- 10 500-sheet output bin
- 11 Automatic two-sided printing
- 12 HP Secure High-Performance Hard Disk
- 13 520-sheet tray 2 supports media up to A4
- 14 520-sheet tray 3 supports media up to 290×432 mm $(11 \times 17 \text{ inches})$ (A3)
- 15 Slot for cable-type security lock
- 16 2 Hi-Speed USB 2.0 Host ports
- 17 Gigabit Ethernet port
- 18 Hi-Speed USB 2.0 Device port

HP LaserJet Managed Flow MFP E82560z Plus shown





I/O panel

Series at a glance







	-	-	•
	HP LaserJet Managed MFP	HP LaserJet Managed MFP	HP LaserJet Managed Flow MFP
	E82560du Plus	E82560dn Plus	E82560z Plus
Product number	5FM78A	Z8Z22A	Z8Z23A
Functions	Print, copy, and scan	Print, copy, and scan	Print, copy, and scan
	(fax and wireless optional)	(fax and wireless optional)	(fax and wireless optional)
Print speed (black and colour) ³	A3: Up to 30 pages per minute (ppm);	A3: Up to 30 pages per minute (ppm);	A3: Up to 30 pages per minute (ppm);
	A4: Up to 60 pages per minute (ppm)	A4: Up to 60 pages per minute (ppm)	A4: Up to 60 pages per minute (ppm)
ADF capacity	Standard, 100 sheets	Standard, 250 sheets	Standard, 250 sheets
Scan speeds (black and colour) ⁴	Simplex/duplex: Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (colour)	Simplex/duplex: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (colour)	Simplex/duplex: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (colour)
Advanced workflow features	Scan-to-E-mail; Scan-to-network folder	Scan-to-E-mail; Scan-to-network folder	Scan-to-E-mail; Scan-to-network folder
	(stand alone solution); Scan to Cloud;	(stand alone solution); Scan to Cloud;	(stand alone solution); Scan to Cloud;
	Scan to USB; Scan-to-SharePoint	Scan to USB; Scan-to-SharePoint	Scan to USB; Scan-to-SharePoint
Optional Input Capacity	1,040 sheet tray; 2,000 sheet tray; 3,000 sheet tray	1,040 sheet tray; 2,000 sheet tray; 3,000 sheet tray	2,150 sheet tray; 3,000 sheet tray
Optional output accessories	Job Separator, Inner Finisher	Job Separator, Inner Finisher	Job Separator, Inner Finisher
	stapler-stacker, booklet maker,	stapler-stacker, booklet maker,	stapler-stacker, booklet maker,
	2/3 hole punch, 2/4 hole punch,	2/3 hole punch, 2/4 hole punch,	2/3 hole punch, 2/4 hole punch,
	Swedish hole punch	Swedish hole punch	Swedish hole punch

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.¹

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm²—and avoid extra steps with a Flow MFP designed for maximum productivity.

HP LaserJet Managed MFP E82560du Plus HP LaserJet Managed MFP E82560dn Plus HP LaserJet Managed Flow MFP E82560z Plus
HP LaserJet MFP Analog Fax Accessory 500
HP LaserJet Dual Cassette Department Feeder
HP LaserJet Department Job Separator
HP LaserJet Inner Finisher Hole 2/4 Punch
HP LaserJet Inner Finisher Swedish Punch
HP LaserJet Booklet Finisher
HP LaserJet Hole Punch Swedish Accessory
HP LaserJet 3000 Sheet HCl Dept Tray
HP LaserJet 2000-sheet HCI Input Tray
HP Black Managed LaserJet Toner (69,000 pages)
HP Black Managed LaserJet Imaging Drum (396,000 pages)
HP Managed LaserJet Toner Collection Unit (300,000 pages)

HP Care Packs

Product

U9LR0E	HP 1-yr NBD SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR1E	HP 3-yr NBD SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR2E	HP 4-yr NBD SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR3E	HP 5-yr NBD SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR4E	HP 3-yr 4 hour 9x5 SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR5E	HP 4-yr 4 hour 9x5 SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR6E	HP 5-yr 4 hour 9x5 SVC w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR7E	HP 1-yr NBD Parts Exchange SVC for LaserJet E825xx MFP Managed (Channel Only)
U9LR8E	HP 3-yr NBD Parts Exchange SVC for LaserJet E825xx MFP Managed (Channel Only)
U9LR9E	HP 4-yr NBD Parts Exchange SVC for LaserJet E825xx MFP Managed (Channel Only)
U9LS0E	HP 5-yr NBD Parts Exchange SVC for LaserJet E825xx MFP Managed (Channel Only)
U9LS1PE	HP 1-yr Post Warranty NBD SVC w/Defective Media Retention for LaserJet E825xx
	MFP Managed
U9LS2PE	HP 2-yr Post Warranty NBD SVC w/Defective Media Retention for LaserJet E825xx
	MFP Managed
U9LS3PE	HP 1-yr Post Warranty 4 hour 9x5 SVC w/Defective Media Retention for LaserJet E825xx
	MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

CG964A HP Professional Glossy Laser Paper 120 gsm-250 sht/A4
CG965A HP Professional Glossy Laser Paper 150 gsm-150 sht/A4
CG966A HP Professional Glossy Laser Photo Paper 200 gsm-100 sht/A4
Q6550A HP Professional Matt Laser Photo Paper-100 sht/A4
CG969A HP Professional Glossy Laser Paper 120 gsm-250 sht/A3

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/wja

HP Imaging and Printing Security Center: hp.com/go/ipsc

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims ² Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications

Model	HP LaserJet Managed MFP E82560du Plus	HP LaserJet Managed MFP E82560dn Plus	HP LaserJet Managed Flow MFP E82560z Plus		
Product number	5FM78A	Z8Z22A	Z8Z23A		
unctions	Print, Copy, Scan (fax and wireless optional)				
Print					
Duplex print options		Automatic (standard)			
Print speed ¹	Black (A4, normal): Up to 60 ppm; Black (A3, normal): Up to 30 ppm; Black (tabloid, normal): Up to 30 ppm; Black (A4, duplex): Up to 60 ipm; Black (tabloid, duplex): Up to 30 ipm				
First page out ²	Black (A4, rea	ady): As fast as 6.3 seconds; Black (A4, sleep): As fast	as 17 seconds		
Print technology		Laser			
Print resolution	Black (best): Up	to 1200 x 1200 dpi reduced speed; Black (normal): Up	to 600 x 600 dpi		
Print cartridges number	UD DGL G LID D	1 (1 black cartridge)	CCD CILL DAD TIES		
Standard print languages	HP PCL 6, HP POSTSCRIPT LEV	el 3 emulation, PDF (v 1.7), AirPrint™ compatible, Pcl5	, GCP compatible, BMP, TIFF		
Printer management		ice Toolbox, HP Web JetAdmin Software, HP JetAdvant source Kit for HP Universal Print Driver (Driver Configur Printing Administrator)			
Scan					
Scan technology	Тур	e: Flatbed, ADF; Technology: Platen Scanner CCD Digita	al-CIS		
Scan speed ³	Normal, A4: Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (colour)	Normal, A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (colour)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (colour)		
Scan resolution		00 x 600 dpi; Hardware: Up to 600 x 600 dpi; Optical:			
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to SFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to SFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Compact PDF; Auto Straighten	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR		
Scan size	F	latbed (max): 297 x 432 mm; ADF (max): 297 x 432 m	nm		
Scan input modes Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFI	to Network Folder; Save to USB; Save to Device Memore, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, cess USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR) RTIF (OCR), Searchable PDF/OCR), Searchable PDF/(OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR) Unicode TEXT (OCR), RTIF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn., pcl, .cht)		
Сору			Ready files (.pm, .pct, .cm/)		
Copy smart software features		e fix rates; Full toner, LLC utilization; Capture un-billed			
Copy speed ⁴		Duplex (A4): Up to 60 cpm; Black (A3, normal): Up to			
First copy out	Black (A4	: As fast as 5.9 seconds; Black (A4, sleep): As fast as	17 seconds		
Copy resolution	Black (text and graj	phics): Up to 600 × 600 dpi; Colour (text and graphics)	: Up to 600 × 600 dpi		
Max. number of copies		Up to 999 copies			
Copier resize		25 to 400%			
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edge automatically detect colour/mono; image Preview				
Fax					
Fax Fax speed⁵		33.6 kbps			
Fax speed ⁵ Fax resolution		o to 300 x 300 dpi (400 x 400 dpi for received faxes or			
Fax speed ⁵	Auto fax reduction supported: Yes; Auto-redialing	· · · · · · · · · · · · · · · · · · ·	tion supported: No; Fax forwarding supported: Yes		
Fax speed ^s Fax resolution	Auto fax reduction supported: Yes; Auto-redialing	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2)	tion supported: No; Fax forwarding supported: Yes		
Fax resolution Fax features Fax memory	Auto fax reduction supported: Yes; Auto-redialing	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2 Fax polling supported: Yes (poll to receive only)	tion supported: No; Fax forwarding supported: Yes		
Fax speeds Fax resolution Fax features Fax memory	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2 Fax polling supported: Yes (poll to receive only)	tion supported: No; Fax forwarding supported: Yes 10 destinations); PC interface supported: Yes;		
Fax resolution Fax features Fax memory Connectivity Standard connectivity Mobile printing	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2' Fax polling supported: Yes (poll to receive only) Fax memory (A4): Up to 500 pages	tion supported: No; Fax forwarding supported: Yes 10 destinations); PC interface supported: Yes;		
Fax speed ⁵ Fax resolution Fax features Fax memory Connectivity Standard connectivity Mobile printing capability ⁶	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee 3 Hi-Speed USB 2.0 Host; 1 Hi-Speed	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2' Fax polling supported: Yes (poll to receive only) Fax memory (A4): Up to 500 pages	tion supported: No; Fax forwarding supported: Yes 10 destinations); PC interface supported: Yes; work; 1 Hardware Integration Pocket		
Fax speed ⁵ Fax resolution Fax features Fax memory Connectivity Standard connectivity Mobile printing capability ⁶ Network ready	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee 3 Hi-Speed USB 2.0 Host; 1 Hi-Speed	o to 300 x 300 dpi (400 x 400 dpi for received faxes or : Yes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2' Fax polling supported: Yes (poll to receive only) Fax memory (A4): Up to 500 pages I USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T ne Yes Standard (built-in Gigabit 10/100/1000T Ethernet) stional accessories (common to all current Jedi produc	tion supported: No; Fax forwarding supported: Yes 10 destinations); PC interface supported: Yes; work; 1 Hardware Integration Pocket		
Fax speed ⁵ Fax resolution Fax features Fax memory Connectivity Standard connectivity Mobile printing capability ⁶ Network ready Wireless capability Network Capabilities	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee 3 Hi-Speed USB 2.0 Host; 1 Hi-Speed	o to 300 x 300 dpi (400 x 400 dpi for received faxes or received faxes or received faxes or received dialing numbers: Up to 1000 numbers (each with 2' Fax polling supported: Yes (poll to receive only) Fax memory (A4): Up to 500 pages I USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T ne Yes Standard (built-in Gigabit 10/100/1000T Ethernet) stional accessories (common to all current Jedi produc connectivity section, above.	tion supported: No; Fax forwarding supported: Yes 10 destinations); PC interface supported: Yes; work; 1 Hardware Integration Pocket		
Fax resolution Fax features Fax memory Connectivity Standard connectivity Mobile printing capability ⁶ Network ready Wireless capability	Auto fax reduction supported: Yes; Auto-redialing Junk barrier supported: Yes; Maximum spee 3 Hi-Speed USB 2.0 Host; 1 Hi-Speed No wireless capabilities standard. There are op	o to 300 x 300 dpi (400 x 400 dpi for received faxes or tyes; Fax delayed sending: No; Distinctive ring detected dialing numbers: Up to 1000 numbers (each with 2' Fax polling supported: Yes (poll to receive only) Fax memory (A4): Up to 500 pages I USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T ne Yes Standard (built-in Gigabit 10/100/1000T Ethernet) stional accessories (common to all current Jedi produc connectivity section, above. Standard (built-in Gigabit 10/100/1000T Ethernet)	tion supported: No; Fax forwarding supported: Yes; 10 destinations); PC interface supported: Yes; twork; 1 Hardware Integration Pocket ts) that support wireless. These are listed in the ware encryption or greater; Secure erase capabilities		

Model	HP LaserJet Managed MFP E82560du Plus	HP LaserJet Managed MFP E82560dn Plus	HP LaserJet Managed Flow MFP E82560z Plus		
Paper handling					
Input	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 100 sheet ADF; Optional 1,140 sheet tray; Optional 2,000 sheet tray; Optional 3,000 sheet tray	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 250 sheet ADF; Optional 1,140 sheet tray; Optional 2,000 sheet tray; Optional 3,000 sheet tray	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 250 sheet ADF; Optional 2,150 sheet tray; Optional 3,000 sheet tray		
Output		500 sheet face-down output bin			
Media type	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Colour Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Coloured				
Media weight	Tray 1, 2, 3: 60 to 300 g/m ²				
Media sizes custom	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm				
Dimensions (W x D x H)	585 x 764.3 x 883.7 mm 585 x 785 x 932.2 mm				
Weight	84.3 kg	95.	6 kg		
What's in the box	Engine; TCU; Drums; Assy-Color WG Nameplate and	Label; Power Cords; Hardware install and setup docume	entation; Support flyers. DOES NOT INLCLUDE TONER		
Warranty features	90-day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to https://doi.org/support to learn about HP award winning service and support options in your region.				
Systems					
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)				
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com				
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in				
Fonts and Typefaces		84 scalable TrueType fonts			
Control panel	20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Integration Pocket 20.3 cm (8.0-in) Colour Graphics Display touchscreen; rotating (adjustable angle) display; touchscreen; rotatin		20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Pull-out Keyboard		
Display	20.3	cm (8.0-in) touchscreen, SVGA Colour Graphic Display	(CGD)		
Power	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) Power consumption: 1090 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off)				
Software included	No software solutions are included in the Box, only on hp.com, 123.hp.com				
Acoustics	Acoustic power emissions (active, printing): 7.5 B(A) printing colour simplex using A4 paper at 60 ppm; Acoustic power emissions (ready): Inaudible; Acoustic power emissions (active copy): 7.1 B(A) ADF copy mono simplex and print mono simplex using A4 paper; Acoustic power emissions (active, scan): 7.75 B(A) ADF scan color simplex using A4 paper at 80 ipm; Acoustic pressure emissions bystander (active, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (ready): Inaudible; Acoustic Pressure Emissions Bystander (active, scan): 57 dB(A) ADF scan colour simplex using A4 paper at 122 ipm; Acoustic pressure emissions bystander (active copy): 55 dB(A) ADF copy mono simplex and print mono simplex using A4 paper				
Environmental ranges	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Non-operating humidity range: 10 to 80% RH; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 20 to 80% RH				
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; EN 62471-1:2008 / IEC 62471-1:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries				
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTP, FTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0				

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO/IEC 17629. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, driver, and document complexity. ³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁴ First Copy Out and Copy Speed measured using ISO/IEC 1913, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration and document. ⁴ Based on standard of UT-I test image #1 at standard resolution and Recording, the Pf Ra device can transmit at 3 sec/page for V.34 and 6 sec/page for V.37. ⁶ Optional Wireless Direct and Wireless. ⁷ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

To learn more, visit hp.com

© 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. To the extent allowed by law, HP shall not be liable for technical or editorial errors or omissions contained herein.



